Author index

Åkesson B: see Modigh CM et al, p 418
Adriansson M: see Olin A-C et al, p 117
Ahonen G: see Nurminen E et al, p 85
Akpinar-Elci M: see Elci OC et al, p 278
Alfredsson L, et al: Job strain and major risk factors for coronary heart disease among employed males and females in a Swedish study on work lipids and fibrinogen, p 238
Amable M: see Benach J et al, p 191
Anastassiou G: see Monárrez-Espino J et al, p 270
Andersen A: see Ulvestad B et al, p 411
Andersson E, et al: Gliomas among men employed in the Swedish pulp and paper industry, p 333
Ando H, et al: Frequency dependence of hand-arm vibration on palmar sweating response, p 324
Ariëns GAM, et al: High physical and psychosocial load at work and sickness absence due to neck pain, p 222
Arnetz BB: see Hillert L et al, p 33
Aro T: see Nurminen E et al, p 85
Axelson O: Alternative for estimating the burden of lung cancer from occupational exposures — some calculations based on data from Swedish men, p 58
Axelsson G: see Modigh CM et al, p 418
Axmon A, et al: Female fertility in relation to the consumption of fish contaminated with persistent organochlorine compounds, p 124
Becklake M: see Radon K et al, p 328
Bellander T: see Hillert L et al, p 33
Benach J, et al: A new occupational health agenda for a new work environment (commentary), p 191
Benavides FG: see Benach J et al, p 191
Bergdahl J: see Stenberg B et al, p 349
Berglind N: see Hillert L et al, p 33
Blair A: see Elci OC et al, p 278
Bodin SLV: see Modigh CM et al, p 418
Boffetta P: see Travier N et al, p 341
Boffetta P: Involuntary smoking and lung cancer, suppl 2 p 30
Bonde JP: see Wennborg H et al, p 5
Bongers PM: see de Lange AH et al, p 94
Bongers PM: see Ariëns GAM et al, p 222
Bouchardy C, et al: Cancer risk by occupation and socioeconomic group among men — a study by The Association of Swiss Cancer Registries, suppl 1
Bousquet A: see Bouchardy C et al, suppl 1
Brady B: see Lipscomb JA et al, p 394
Brisman J: see Olin A-C et al, p 117
Bromen K: see Monárrez-Espino J et al, p 270
Burstyn I & Kromhout H: Trends in inhalation exposure to hydrocarbons among commercial painters in The Netherlands, p 429
Cedergren MI, et al: Risk factors for cardiovascular malformation — a study based on prospectively collected data, p 12
Chen Y, et al: Reliability assessment of a coding scheme for the physical risk factors of work-related musculoskeletal disorders, p 232
Cherry N: see Chen Y et al, p 232
Croft P: see Lewis M et al, p 109
Dahlman-Höglund A: see Modigh CM et al, p 418
Dalander O: see Olin A-C et al, p 117
Damberg G: see Ulvestad B et al, p 411
de Faire U: see Alfredsson L et al, p 238
de Gaudemaris R: see Maître A et al, p 402
de Lange AH, et al: Effects of stable and changing demand-control histories on worker health, p 94
De Roos AJ: see Travier N et al, p 341
Dosemeci M: see Elci OC et al, p 278
Edvardsson B: see Stenberg B et al, p 349
Egeland GM: see Hollund BE et al, p 264
Elci OC, et al: Occupational dust exposure and the risk of laryngeal cancer in Turkey, p 278
Elfering A, et al: Time control, catecholamines and back pain among young nurses, p 386
Elsner G: see Heiskel H et al, p 249
Eriksson N: see Stenberg B et al, p 349
Everts V: see Kuiper JI et al, p 168
Expert Group in Ergonomics: see Ketola R et al, p 18
Fisch T: see Bouchardy C et al, suppl 1
Florvaag E: see Hollund BE et al, p 264
Fransson E: see Alfredsson L et al, p 238
Frings-Dresen MHW: see Kuiper JI et al, p 168
Frings-Dresen MHW: see Hoozemans MJM et al, p 293
Garde AH: see Laursen B et al, p 215
Gefeller O: see Latza U et al, p 314
Geiger-Brown J: see Lipscomb JA et al, p 394
Gerber H: see Elfering A et al, p 386
Goldberg M: see Radon K et al, p 328
Granung G: see Olin A-C et al, p 117
Grebner S: see Elfering A et al, p 386
Gridley G: see Travier N et al, p 341
Gunnare S: see Sjögren B et al, p 205
Gunzenhäuser D: see Heiskel H et al, p 249
Häkkänen M: see Ketola R et al, p 18
Härmä M: Worksite physical activity — a useful, but not sufficient action for promoting work-related health and productivity (editorial), p 73
Hagberg S: see Olin A-C et al, p 117
Hagmar L: see Axmon A et al, p 124
Hallqvist J: see Alfredsson L et al, p 238
Hammar N: see Alfredsson L et al, p 238
Hay EM: see Lewis M et al, p 109
Heiskel H, et al: Sleep apnea and occupational exposure to solvents, p 249
Helakorpi S: see Jousilahti P & Helakorpi S, suppl 2 p 16
Heliövaara M: see Manninen P et al, p 25
Hietanen M: book review of *Radiation at home, outdoors and in the workplace*, p 133
Hietanen M: book review of *Non-ionizing radiation, part 1: static and extremely low-frequency (elf) electric and magnetic fields*, p 285
Hildebrandt VH: see Proper KI et al, p 75
Hillert L, et al: Prevalence of self-reported hypersensitivity to electric or magnetic fields in a population-based questionnaire survey, p 33
Hoikka V: see Torkki M et al, p 176
Hollund BE, et al: Occupational exposure to hairdressing chemicals and immunoglobulin E synthesis, p 264
Honkonen T: book review of *Environmental and chemical toxins and psychiatric illness*, p 362
Hoogendoorn WE: see Ariëns GAM et al, p 222
Hoozemans MJM, et al: Low-back and shoulder complaints among workers with pushing and pulling tasks, p 293
Hotz P: see Bouchardy C et al, suppl 1
Houtman ILD: see de Lange AH et al, p 94
Hulshof C: see Verbeek J et al, p 359
Hulshof CT: see Verbeek JH et al, p 197
Husgafvel-Pursiainen K: see Zitting A & Husgafvel-Pursiainen K, suppl 2
Husgafvel-Pursiainen K: see Zitting A et al, suppl 2 p 3
Husgafvel-Pursiainen K: Biomarkers in the assessment of

exposure and the biological effects of environmental tobacco smoke, suppl 2 p 21
Huuskonen M: book review of *Health and safety in small enterprises: European strategies for managing improvement*, p 361
Ilmarinen J: see Nurminen E et al, p 85
Ishitake T: see Ando H et al, p 324
Jaakkola JJK & Jaakkola MS. Effects of environmental tobacco smoke on the respiratory health of children, suppl 2 p 71
Jaakkola JJK: see Jaakkola MS & Jaakkola JJK, suppl 2 p 52
Jaakkola MS & Jaakkola JJK: Effects of environmental tobacco smoke on the respiratory health of adults, suppl 2 p 52
Jaakkola MS: see Jaakkola JJK & Jaakkola MS, suppl 2 p 71
Janer G, et al: Health promotion trials at worksites and risk factors for cancer (review), p 141
Jensen BR: see Laursen B et al, p 215
Jepsen JR: see Larsen AI & Jepsen JR, p 358
Jodar P: see Benach J et al, p 191
Jöckel K-H: see Monárrez-Espino J et al, p 270
Jørgensen AH: see Laursen B et al, p 215
Jousilahti P & Helakorpi S: Prevalence of exposure to environmental tobacco smoke at work and at home — 15-year trends in Finland, suppl 2 p 16
Jousilahti P, et al: Environmental tobacco smoke and the risk of cardiovascular disease, suppl 2 p 41
Källén BAJ: see Cedergren MI et al, p 12
Kaila-Kangas L: see Leino-Arjas P et al, p 304
Kankaanpää E: see Verbeek J et al, p 359
Kankaanpää EE: see Verbeek JH et al, p 197
Karjalainen A, et al: Exploration of asthma risk by occupation — extended analysis of an incidence study of the Finnish population, p 49
Karjalainen J: see Karjalainen A et al, p 49
Karlsson B: see Olin A-C et al, p 117
Kauppinen T: see Heiskel H et al, p 249
Kauppinen TP & Virtanen SV: Exposure to environmental tobacco smoke in Finland in 2000, suppl 2 p 7
Keskimäki I: see Leino-Arjas P et al, p 304
Ketola R, et al: Effects of ergonomic intervention in work with video display units, p 18
Kjærheim K: see Ulvestad B et al, p 411
Klaukka T: see Karjalainen A et al, p 49
Knutsson A: see Alfredsson L et al, p 238
Kogevinas M: see Janer G et al, p 141
Kompier M: The psychosocial work environment and health — what do we know and where should we go? (editorial), p 1
Kompier MAJ: see de Lange AH et al, p 94
Kromhout H: see Vermeulen R et al, p 371
Kromhout H: see Burstyn I & Kromhout H, p 429
Kuiper JI, et al: Physical workload of student nurses and serum markers of collagen metabolism, p 168
Kurppa K: see Karjalainen A et al, p 49
Laippala P: see Torkki M et al, p 176
Larsen AI & Jepsen JR: Evidence in occupational medicine (letter to the editor), p 358
Larsson K: see Palmberg L et al, p 256
Larssson B-M: see Palmberg L et al, p 256
Latza U, et al: Impact of repetitive manual materials handling and psychosocial work factors on the future prevalence of chronic low-back pain among construction workers, p 314
Laursen B, et al: Effect of mental and physical demands on muscular activity during the use of a computer mouse and a keyboard, p 215
Leino-Arjas P, et al: Inpatient hospital care for back disorders in relation to industry and occupation in Finland, p 304
Leskinen EK: see Sjögren-Rönkä T et al, p 184
Levi F: see Bouchardy C et al, suppl 1
Lewis M, et al: Effects of manual work on recovery from lateral epicondylitis, p 109
Lillienberg L: see Modigh CM et al, p 418
Lindbohm M-L, et al: Effects of exposure to environmental tobacco smoke on reproductive health, suppl 2 p 84
Lindén G: see Stenberg B et al, p 349
Lipscomb JA, et al: Work-schedule characteristics and reported musculoskeletal disorders of registered nurses, p 394
Luukkonen R: see Ketola R et al, p 18
Mälkiä EA: see Sjögren-Rönkä T et al, p 184
Maître A, et al: Exposure to carcinogenic air pollutants among policemen working close to traffic in an urban area, p 402
Malmberg P: see Palmberg L et al, p 256
Malmivaara A: see Nurminen E et al, p 85
Malmivaara A: see Torkki M et al, p 176
Malmivaara A: see Verbeek JH et al, p 197
Malmivaara A: see Verbeek J et al, p 359
Manninen P, et al: Physical workload and the risk of severe knee osteoarthritis, p 25
Marquès M: see Maître A et al, p 402
Martikainen R: see Karjalainen A et al, p 49
Martinsen JI: see Ulvestad B et al, p 411
Masclet P: see Maître A et al, p 402
McDonald JC: see Chen Y et al, p 232
Merzenich H: see Monárrez-Espino J et al, p 270
Meyer JD: see Chen Y et al, p 232
Minder C: see Bouchardy C et al, suppl 1
Modigh CM, et al: Time to pregnancy among partners of men exposed to di(2-ethylhexyl)phthalate, p 418
Moen BE: see Hollund BE et al, p 264
Monárrez-Espino J, et al: Occupation as a risk factor for uveal melanoma in Germany, p 270
Moradi T: see Travier N et al, p 341
Mowe G: see Ulvestad B et al, p 411
Mukala K: see Verbeek JH et al, p 197
Mukala K: see Verbeek J et al, p 359
Muntaner C: see Benach J et al, p 191
Mustalampi ST: see Sjögren-Rönkä T et al, p 184
Mutanen P: see Nurminen E et al, p 85
Mutanen P: see Leino-Arjas P et al, p 304
Nelson NA: Are pushing and pulling strong risk factors for occupational shoulder disorders? (editorial), p 289
Nilsson R: see Andersson E et al, p 333
Nilsson T: see Alfredsson L et al, p 238
Noguchi R: see Ando H et al, p 324
Noonan CW, et al: Occupational exposure to magnetic fields in case-referent studies of neurodegenerative diseases, p 42
Notkola V: see Leino-Arjas P et al, p 304
Nurminen E, et al: Effectiveness of a worksite exercise program with respect to perceived work ability and sick leaves among women with physical work, p 85
Ojanen MT: see Sjögren-Rönkä T et al, p 184
Olin A-C, et al: Respiratory health among bleachery workers exposed to ozone and chlorine dioxide, p 117
Olsen J: see Wennborg H et al, p 5
Omenaas E: see Hollund BE et al, p 264
Paakkulainen HT: see Rintala PE et al, p 158
Palmberg L, et al: Airway responses of healthy farmers and nonfarmers to exposure in a swine confinement building, p 256
Parkes KR: Shift work and age as interactive predictors of body mass index among offshore workers, p 64
Partanen T: book review of *Promoción de la Salud: Como Construir Vida Saludable*, p 208
Paterson SM: see Lewis M et al, p 109
Patja K: Jousilahti P et al, suppl 2 p 41
Pfahlberg A: see Latza U et al, p 314
Pflug B: see Heiskel H et al, p 249
Plato N: see Travier N et al, p 341
Proper KI, et al: Effectiveness of physical activity programs at worksites with respect to work-related outcomes (review), p 75
Pukkala E: see Rintala PE et al, p 158

Radon K, et al: Healthy worker effect in cohort studies on chronic bronchitis, p 328
Räsänen K: see Verbeek JH et al, p 197
Räsänen K: see Verbeek J et al, p 359
Rantanen J: see Zitting A et al, suppl 2 p 3
Raymond L: see Bouchardy C et al, suppl 1
Reif JS: see Noonan CW et al, p 42
Reivonen N: see Torkki M et al, p 176
Riihimäki H: see Manninen P et al, p 25
Rintala PE, et al: Self-experienced physical workload and risk of breast cancer, p 158
Rosenman K: see Steenland K et al, p 439
Rylander L: see Axmon A et al, p 124
Sala M: see Janer G et al, p 141
Sallmén M: see Lindbohm M-L et al, suppl 2 p 84
Salminen S: book review of *Safety analysis: principles and practice in occupational safety*, p 443
Salomaa V: Jousilahti P et al, suppl 2 p 41
Sandler H: see Sjögren B et al, p 205
Schneider T: Improving exposure assessment requires measurements and modeling (editorial), p 367
Schüler : see Bouchardy C et al, suppl 1
Seidler A: see Heiskel H et al, p 249
Seitsalo S: see Torkki M et al, p 176
Selbing AJ: see Cedergren MI et al, p 12
Semmer NK: see Elfering A et al, p 386
Sjögren B, et al: Inhalation of decomposed chlorodifluoromethane (freon-22) and myocardial infarction (case study), p 205
Sjögren-Rönkä T, et al: Physical and psychosocial prerequisites of functioning in relation to work ability and general subjective well-being among office workers, p 184
Socie E: see Steenland K et al, p 439
Song J: see Chen Y et al, p 232
Soulat J-M: see Maître A et al, p 402
Staal BJ: see Proper KI et al, p 75
Stang A: see Monárrez-Espino J et al, p 270
Stayner L: see Vainio H & Stayner L, p 137
Steenland K: Ten-year update on mortality among mild-steel welders, p 163
Steenland K, et al: Silicosis and end-stage renal disease (short communication), p 439
Stenbeck M: see Wennborg H et al, p 5
Stenberg B, et al: Medical and social prognosis for patients with perceived hypersensitivity to electricity and skin symptoms related to the use of visual display terminals, p 349
Stewart P: see Vermeulen R et al, p 371
Stoklov M: see Maître A et al, p 402
Straub JP: see Kuiper JI et al, p 168
Strömberg U: see Axmon A et al, p 124
Suomalainen O: see Manninen P et al, p 25
Takala E-P: see Ketola R et al, p 18
Takala E-P: Static muscular load, an increasing hazard in modern information technology (editorial), p 211
Taris TW: see de Lange AH et al, p 94
Taris TW: book review of *Handbook of research methods in industrial and organizational psychology*, p 286
Taskinen H: see Lindbohm M-L et al, suppl 2 p 84
Theorell T: see Alfredsson L et al, p 238
Toivonen R: see Ketola R et al, p 18
Torén K: see Andersson E et al, p 33
Torén K: see Olin A-C et al, p 117
Torhorst J: see Bouchardy C et al, suppl 1
Torkki M, et al: Individually fitted sports shoes for overuse injuries among newspaper carriers, p 176
Touchstone J: see Noonan CW et al, p 42
Travier N, et al: Cancer incidence of dry cleaning, laundry and ironing workers in Sweden, p 341
Trinkoff AM: see Lipscomb JA et al, p 394
Ulvestad B, et al: Cancer incidence among workers in the asbestos-cement producing industry in Norway, p 411
Vainio H & Stayner L: Can health promotion at the workplace help prevent cancer? (editorial), p 137
Valiante D: see Steenland K et al, p 439
van der Beek AJ: see Proper KI et al, p 75
van der Beek AJ: see Hoozemans MJM et al, p 293
van der Wal G: see Ariëns GAM et al, p 222
van der Woude LHV: see Hoozemans MJM et al, p 293
van Dijk F: see Verbeek J et al, p 359
van Dijk FJ: see Verbeek JH et al, p 197
van Dijk FJH: see Hoozemans MJM et al, p 293
van Mechelen W: see Proper KI et al, p 75
van Mechelen W: see Ariëns GAM et al, p 222
Wannag A: see Ulvestad B et al, p 411
Wennborg H, et al: Adverse reproduction outcomes among employees working in biomedical research laboratories, p 5
Verbeek J, et al: Authors' reply, p 359
Verbeek JH, et al: Evidence-based medicine for occupational health (clinical question), p 197
Verbeek JHAM: see Kuiper JI et al, p 168
Vermeulen R, et al: Dermal exposure assessment in occupational epidemiologic research (review), p 371
Westerholm P: see Alfredsson L et al, p 238
Widman L: see Stenberg B et al, p 349
Vihko VJ: see Rintala PE et al, p 158
Viikari-Juntura E: see Ketola R et al, p 18
Virtanen SV: see Kauppinen TP & Virtanen SV, suppl 2 p 7
Volk S: see Heiskel H et al, p 249
Ylöstalo P: see Nurminen E et al, p 85
Yost M: see Noonan CW et al, p 42
Zitting A & Husgafvel-Pursiainen K (guest editors): Health effects of environmental tobacco smoke, suppl 2
Zitting A, et al: Environmental tobacco smoke — a major preventable cause of impaired health at work (editorial), suppl 2 p 3

Key terms

4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone, suppl 2 p 21
absenteeism, 75
absenteeism from work, 85
accelerated failure time, 314
acute vibration stress, 324
adults, suppl 2 p 52
age, 64
air pollutants, 402
airway responses, 256
airway inflammation, 256
alcohol, 141
aldehyde, 402
allergy, 33, 264
alternative, 58
Alzheimer's disease, 42
amyotrophic lateral sclerosis, 42
asbestos-cement producing industry, 411
asbestos-cement workers, 411
asthenopia, 197
asthma, 117, suppl 2 p 52, suppl 2 p 71
automotive exhaust, 402
back disorders, 168, 304
back problems, 394
back pain, 386
behavior therapy, 197
biological effects, suppl 2 p 21
biomarkers, suppl 2 p 21
biomedical research, 5
birth defects, suppl 2 p 84
birthweight, 5
bleachery workers, 117
body weight, 64
body mass index, 12, 64
brain tumor, 333
breast cancer, 158
bricklayer, 314
bronchial responsiveness, 256
bronchitis, 328
burden, 58
burnout, 197
cancer, 137, 141
cancer incidence, 341, 411
cancer prevention, 137, 141
cancer profiles of selected occupations, suppl 1
cancer registry, suppl 1
cancer risk, suppl 1
carcinogenic air pollutants, 402
cardiac defect, 12
cardiovascular malformation, 12
cardiovascular disease, suppl 2 p 41
case study, 205
case-control study, 25, 249, 278
case-control studies, 42, 270
case-referent study, 25, 249, 278
case-referent studies, 42, 270
catecholamines, 386
cervical spine, 222
changing demand-control histories, 94
characteristics, 349
children, suppl 2 p 71
chlorine dioxide, 117
chlorodifluoromethane, 205
cholesterol, 238
chronic low-back pain, 314
chronic bronchitis, 328
chronic obstructive pulmonary disease, suppl 2 p 52, 71
chrysotile, 411
clinical question, 197
coding scheme, 232
cohort studies, 314, 328
collagen, 168
collagen metabolism, 168
commentary, 191
commercial painters, 429
community study, 25
complaints, 293
computer mouse use, 215
computers, 197
confounding, 58
connective tissues, 168
construction workers, 314
contamination, 124
coronary heart disease, 238, suppl 2 p 41
cotinine, suppl 2 p 21
cotton, 278
crocidolite, 411
cross-sectional, 33
cytokines, 256
database, 429
decomposition, 205
demand-control model, 94
demand-control histories, 94
demographic factors, 64
dermal exposure, 371
dermal uptake, 371
determinants of exposure, 429
di(2-ethylhexyl)phthalate, 418
diary of discomfort, 18
diet, 141
disease, suppl 2 p 41
disorders, 232
display terminals, 18
drugs, 12
dry cleaning workers, 341
dust exposure, 278
editorial, 1, 73, 137, 211, 289, 367, suppl 2 p 3
effect, 215
effectiveness, 75, 85
effects, 18, 94, 109, suppl 2 p 52
electric fields, 33
electrical occupations, 42
electricity, 349
electromyographic gaps, 215
electromyography, 215
employed males, 238
employed females, 238
employees, 5
employment, 197
end-stage renal disease, 439
environment, suppl 1
environmental illness, 349
environmental pollution, 402
environmental tobacco smoke, suppl 2 p 3, 7, 16, 21, 30, 41, 52, 71, 84
epidemiologic research, 371
epidemiologic model, 58
epidemiology, 49, 232, 278, 270, 328, 333, 341, 371, suppl 2 p 41
ergonomic intervention, 18
ergonomics, 18
evidence, 358, 359
evidence-based medicine, 197, 358, 359
exercise program, 85
experimental studies, suppl 2 p 41
exploration, 49
exposure, 94, 256, 402, suppl 2 p 7, 16
exposure assessment, 232, 367, 371, 429, suppl 2 p 21
exposure variability, 371
eye neoplasms, 270
factors of work ability, 184
farmers, 256
fecundity, 418
female fertility, 124
female, 85
females, 238
fertility, 124, suppl 2 p 84
fetal growth, suppl 2 p 84
fibrinogen, 238
Finland, 49, 304, suppl 2 p 3, 7, 16
fish, contaminated, 124
fish consumption, 124
follow-up study, 349
food contamination, 124
footwear, 176
forearm, 215
freon-22, 205
frequency dependence, 324
function recovery, 109
functioning, 184
gender, 349
general well-being, 184
general practice, 109
genotoxicity, suppl 2 p 21
Germany, 270
glioma, 333
hairdressing chemicals, 264
hand-arm vibration, 324
hazard, 211
HCFC-22, 205
health, 1, 94
health behavior, 64, 141
health effects, suppl 2, p 71, 84
health impact, suppl 2 p 3
health promotion, 73, 137
health promotion trials, 141
health surveillance, 429
healthy worker effect, 328
heavy work, 25
hepatitis A, 197
high physical load, 222
high psychosocial load, 222
high-density lipoprotein cholesterol, 238
home, suppl 2 p, 7, 16
hospital care, 304

hospital-based, 270
hydrocarbons, 429
hypersensitivity, 33, 349
hypersensitivity to electricity, 33
hypertension, 197, 238
immunoglobulin E synthesis, 264
impact, 314
impaired health, suppl 2 p 3
incidence, 49, 58
incidence study, 49
industry, 304
infarction, 205
inflammation, 205
information technology, 211
inhalation, 205
inhalation exposure, 429
injuries, 176
inpatient, 304
inpatient hospital care, 304
interactive predictors, 64
International Classification of Functioning Disability and Health in Research, 184
interpretation, suppl 1
intervention, 18, 85
intervention studies, 75
intervention trials, 141
involuntary smoking, suppl 2 p 21, 30
ironing workers, 341
irritants, 117
job beginners, 386
job change, 94
job satisfaction, 85
job strain, 238
job type, 64
job-exposure matrix, 42, 249
kappa, 232
keyboard use, 215
kidney, 439
knee arthroplasty, 25
knee osteoarthritis, 25
laboratories, 5
laboratory work, 5
laryngeal cancer, 278
larynx, 278
lateral epicondylitis, 109
latex, 264
laundry workers, 341
legislation, suppl 2 p 16
legislation in Finland, suppl 2 p 3
letter to the editor, 358, 359
limitations, suppl 1
linkage study, 439
lipids, 238
long workhours, 394
longitudinal, 222
longitudinal research, 94
longitudinal study, 109, 293
low-back complaints, 293
low-back pain, 293, 304, 314
lower-limb overuse injuries, 176
lumbago, 304
lumbar intervertebral disc disease, 304
lung cancer, 58, 163, 411, suppl 2 p 30
lung function, suppl 2 p 52, 71
lymphohematopoietic neoplasms, 341
magnetic fields, 33, 42
males, 238, 418
malformation, 12
malignant neoplasms, suppl 1
malignant tumor, 158
manual, 314
manual work, 109
materials handling, 293, 314
measurements, 367
medical prognosis, 349
medical records study, 12
melanoma, 270
men, 58, 333, suppl 1
menstrual function, suppl 2 p 84
mental demands, 215
meta-analysis, suppl 2 p 30
metabolism, suppl 2 p 21
mild-steel welders, 163
miscarriage, 124
mixed-effects models, 429
modeling, 367
modern information technology, 211
mortality, 163
muscular activity, 215
muscular load, 211
musculoskeletal discomfort, 18
musculoskeletal diseases, 314
musculoskeletal disorders, 232, 394
musculoskeletal pain, 18
musculoskeletal strain, 18
myocardial infarction, 205
nasal lavage, 256
neck pain, 18, 222
neck problems, 394
needs, 191
neurodegenerative diseases, 42
new agenda, 191
new occupational health agenda, 191
new work environment, 191
newspaper carriers, 176
night work, 64
nonfarmers, 256
nonlinear regression, 429
Norway, 411
nurses, 168, 386
obesity, 141
observation, 293
occupation, 64, 270, 304, suppl 1
occupational, 117, 232
occupational asthma, 49
occupational diseases, 314
occupational disorders, 289
occupational dust exposure, 278
occupational epidemiologic research, 371
occupational exposure, 42, 117, 264, 270, 293, 341, 418, suppl 2 p 7
occupational exposure to solvents, 249
occupational exposures, 58
occupational health, 197, 358, 359
occupational health agenda, 191
occupational lung cancer, 58
occupational medicine, 358, 359
occupational physical activity, 158
occupational shoulder disorders, 289
office workers, 184
offshore, 64
offshore workers, 64
organochlorine compounds, 124
osteoarthritis, 25
overuse injuries, 176
overview, suppl 2 p 41
ozone, 117
pain, 109
palmar sweating, 324
palmar sweating response, 324
paper industry, 333
parental age, 12
Parkinson's disease, 42
participatory ergonomics, 18
particulate matter, 402
partners, 418
passive smoking, 21, suppl 2 p 21, 16, 41
passive smoke, suppl 2 p 30
patient handling, 168
patients, 349
perceived health, 349
perceived hypersensitivity, 349
perceived work ability, 85
performance, 215
persistent organochlorine compounds, 124
personal sampling, 402
physical activity, 73, 85, 141
physical activity programs, 75
physical demands, 215
physical fitness, 75
physical load, 222
physical prerequisites, 184
physical risk factors, 232
physical work, 85
physical workload, 25, 158, 168
physically light work, 184
plasticizer, 418
pleural mesothelioma, 411
policemen, 402
policy, 191
polychlorinated biphenyls, 124
polycyclic aromatic hydrocarbons, 402
population-based, 270
population-based questionnaire survey, 33
postterm, preterm, 5
pregnancy, 197, suppl 2 p 71
pregnancy outcome, 5
prerequisites, 184
preterm birth, suppl 2 p 84
prevalence, 33, 314, suppl 2 p 16
preventable cause of impaired health, suppl 2 p 3
prevention, 137
prognosis, 349
promotion, 85
prospective cohort study, 168, 222
prospective study, 12, 109, 293
prospectively collected data, 12
psychosocial, 1
psychosocial health, 1
psychosocial load, 222
psychosocial prerequisites, 184
psychosocial work environment, 1
psychosocial work factors, 314
pulling, 289
pulling tasks, 293
pulp industry, 333
pulpmill workers, 117
pushing, 289
pushing tasks, 293
quality of life, 184
quantitative risk estimates, suppl 2 p 3
questionnaire, 293, 349
questionnaire survey, 33
R22, 205
randomized controlled trial, 18, 85, 176
record-linkage study, 341
recovery, 109
register study, 12, 333

registered nurses, 394
regression analysis, 293
reliability assessment, 232
renal disease, 439
repetitive, 314
repetitive work, 215
reproduction, 5, 418
reproduction outcomes, 5
reproductive health, suppl 2 p 84
research, 191
respiratory health, 117, suppl 2 p 52
respiratory health of children, suppl 2 p 71
respiratory infections, suppl 2 p 52, 71
respiratory neoplasms, 357
respiratory symptoms, suppl 2 p 52, 71
restaurants, suppl 2 p 7
review, 75, 141, 371, suppl 2 p 21, 71, 84
review literature, 75
risk, 25, 49, 158, 278
risk assessment, suppl 2 p 7
risk and rate advancement periods, 314
risk estimates, suppl 2 p 3
risk factor, 222, 270, 289
risk factors, 12, 141, 184, 232, 238, 314
risk of cardiovascular disease, suppl 2 p 41
second-hand smoke, suppl 2 p 21
selection bias, 328
self-experienced, 158
self-reported hypersensitivity, 33
sensitivity, 58
serum markers, 168
sewage, 197
shift work, 64, 394
shock attenuation, 176
shoes, 176
short communication, 439
shoulder complaints, 293
shoulder disorders, 289
shoulder pain, 18, 293
shoulder problems, 394
sick leave, 222
sick leaves, 85
sickness absence, 222
silica, 278, 439
silicosis, 439
single-cell model, 429
skin symptoms, 349
skin exposure, 371
sleep apnea, 249
smoking, 58, 64, suppl 2 p 16, 30, 41
social class, suppl 1
social prognosis, 349
social situation, 349
socioeconomic group, suppl 1
solvents, 5, 249, 429
somatosympathetic reflex, 324
spinal stenosis, 304
spine, 168
spondylosis, 304
spontaneous abortion, suppl 2 p 84
sports shoes, 176
stable demand-control histories, 94
static muscle activity, 215
static muscular load, 211
stillbirth, 124
strain hypothesis, 94
stress, 85
stressful events, 386
stroke, suppl 2 p 41
student nurses, 168
subclinical effect, suppl 2 p 41
subgroups, 349
subjective well-being, 184
sulfate, 333
sulfite, 333
surveillance, 232
sweating response, 324
Sweden, 58, 238, 341, 365
swine farmers, 256
swine confinement building, 256
Switzerland, suppl 1
symptoms, 33
systematic review, 75
terpenes, 333
The Netherlands, 429
The Association of Swiss Cancer Registries, suppl 1
time to pregnancy, 124, 418
time control, 386
tobacco, 141, suppl 2 p 16, 41
tobacco smoke, suppl 2 p 3, 41, 52, 71
tobacco smoke pollution, suppl 2 p 52, 71
toluene, 429
trend, suppl 2 p 16
trends, 429
Turkey, 278
update, 163
urban area, 402
uveal melanoma, 270
vibration frequency, 324
video display units, 18, 349
visual display terminals, 349
volatile organic compounds, 402
welders, 163
welding, 163
well-being, 184
women, 85, 158
work, 18, 109, 222, 238, 278, suppl 2 p 3, 16
work ability, 85, 184
work environment, 1, 191
work factors, 314
work schedule, 394
work stress, 238
work-related, 222
work-related exposure, suppl 2 p 3
work-related health, 73
work-related musculoskeletal disorders, 232
work-related outcomes, 75
work-related productivity, 73
work-schedule characteristics, 394
worker health, 94
workers, 117, 411, 293
workload, 18
workplace, 75, 85, 137, suppl 2 p 16
worksite, 73, 75, 85
worksite exercise program, 85
worksite physical activity, 73
worksites, 141
young nurses, 386

Acknowledgments

The *Scandinavian Journal of Work, Environment & Health* wishes to express its gratitude to the following scientists, who were so kind as to act as reviewers for articles received during the period 1 September 2001 — 31 August 2002.

Torbjörn Åkerstedt
Anders Ahlbom
Gunnar Ahlborg
Maria Albin
Morgan Andersson
Ragnar Andersson
Ahti Anttila
Geertje Ariens
Bengt Arnetz
Kristan J Aronson
Herman Autrup
Olav Axelson
Gösta Axelsson
Thomas Backström
Arnold Bakker
Bruce Bernard
Pier Alberto Bertazzi
Jonas Björk
Jakob Bue Bjorner
Aaron Blair
Paolo Boffetta
Jens-Peter Bonde
Hans Bosma
Massimo Bovenzi
Jonas Brisman
Bert Brunekreef
Alex Burdorf
Sherwood P Burge
Gunnar Bylin
John Cherrie
Hanne Christensen
David Coggon
Giovanni Costa
Ronald Dahl
Jan de Jonge
Joakim Dillner
PO Droz
Wijnand Eduard
Kerstin Ekberg
Carl-Gustaf Elinder
Annaliisa Elo
Bradley Evanoff
Leo Fabbri
Nils Fallentin
Birgitta Floderus
Jean Foret
Alfred Franzblau
Gösta Gemne
Sabine Geurts
Hans Gilljam
Beth Gladen
Robert Gründemann
Michel P Guillemin
Finn Gyntelberg
Göran M Hägg
Juha Hartikainen
Dick JJ Heederik
Markku Heliövaara
Denis Hemon
VH Hildebrand
Lena Hillert
Sheilah Hogg-Johnson
Erkki Juhani Ilmarinen
Raija Marjatta Ilmarinen
Martin Iversen
Bengt Järvholm
Kristina Jakobsson
Christer Jansen
Michael Joffe
Gunnar Johansson
Antti Karjalainen
Timo Pentti Kauppinen
Monroe W Keyserling
Thomas Kieselbach
Ernst Kiesswetter
Kristina Kjaerheim
Helge Kjuus
Anders Knutsson
Henrik Kolstad
Riitta-Sisko Koskela
Niklas Krause
Tage S Kristensen
Bengt Kjällén
Thomas Läubli
Sverre Langård
Sven Larsson
Larry A Layne
Päivi Leino-Arjas
Marja-Liisa Lindbohm
Harri Lindholm
Christopher J Lindsell
Arne Lowden
Ingvar Lundberg
Ulf Lundberg
Ritva Luukkonen
Kim Lyngby Mikkelsen
Elsebeth Lynge
Antti Malmivaara
Joseph McLaughlin
Lars Mehlum
Theo Meijman
Olli S Miettinen
Seppo Miilunpalo
Bente E Moen
Kiti Mueller
Friedhelm Nachreiner
Nancy Nelson
Jörn Nielsen
Dan Norbäck
Tor Norseth
Claes-Håkan Nygård
Palle Örbaek
Jörgen H Olsen
Andrew F Olshan
Keith Palmer
Finn Palmgren
Pirkko Pfäffli
Daniel Pope
Karin Proper
Agneta Rannug
Anne Renström
Hilkka Riihimäki
Vesa Riihimäki
Hannu Rintamäki
Roger Rosa
Christina Rosenberg
Pekka Roto
Ragnar Rylander
Heikki Saarni
Markku Sainio
Mikael Sallinen
Markku Sallmén
Simo Salminen
Kai Savolainen
Wilmar B Schaufeli
Johannes Siegrist
Barbara Silverstein
Lorenzo Simonato
Gisela Sjögaard
Staffan Skerfving
Judith K Sluiter
Lawrence Smith
Thomas J Smith
Björn Söderfeldt
Peregrin Spielholz
Jukka Pekka Starck
Patricia Stewart
Susan Stock
Ulf Strömberg
Esa-Pekka Takala
Toon Taris
Hannu Tarvainen
Henrik Teir
Margareta Törnqvist
Kjell Torén
Göran Tornling
Kaija Tuomi
Timo Tuomi
Jussi Vahtera
Allard van der Beek
Frank van Dijk
Marianne van Hage-Hamsten
Mireille van Poppel
Tinka van Vuuren
Nico van Yperen
Jos Verbeek
Jorgen Vestbo
Paolo Vineis
Eva Vingård
Nina Völlestad
Jukka Vuori
David Wegman
Hans Welinder
Peter Westerholm
Magnus Wickman
Ewa Wigaeus Tornqvist
Gerhard A Zielhuis

Instructions for contributors

The *Scandinavian Journal of Work, Environment & Health* is an international scientific periodical that began publication in 1975. The aim of the Journal is to promote research in the fields of occupational health and safety and the work environment and to increase knowledge through the publication of original and review articles. The Journal also publishes short communications, commentaries, reports, discussion papers, clinical questions, book reviews, news and announcements. It deals with topics concerning the interactions between work and health, that is, with topics in occupational medicine, epidemiology, toxicology, hygiene, safety, physiology, psychology, ergonomics, and sociology. In addition health topics related to work-home and work-outdoor environment interfaces are included, as well as studies of the effects of preventive measures and interventions in the work, home or outdoor environment. Papers are accepted on the understanding that they are contributed solely to this journal and are subject to editorial revision. By submitting a manuscript, the authors agree that the copyright for the manuscript is automatically transferred to the *Scandinavian Journal of Work, Environment & Health* at the time of its acceptance for publication. When possible, the editors will seek peer review with the names of the authors unknown to the reviewers. The editors cannot enter into correspondence about papers that are rejected as being unsuitable for publication, and their decision is final.

All papers submitted for publication should conform to the 2001 update of the "Uniform Requirements for Manuscripts Submitted to Biomedical Journals" (see: www.icmje.org), which is often referred to as the Vancouver style. In addition a "Do and Don't" list can be found on the Journal's homepage and in volume 25 (1999), no 1, page 80, of the Journal. Manuscripts should be in American English and be written as concisely as possible without detracting from clarity. The abstract should be structured (maximum 250 words with titles Objectives, Methods, Results and Conclusions) if the article is a report of an original piece of research and descriptive (maximum 150 words) if it is a review. *Webster's Third International Dictionary* should be used as a guide to spelling and word divisions, and the article "Statistical Guidelines for Contributors to Medical Journals" by Altman et al (Br Med J 1983; 286,1489–93) should be consulted as a guide to the preparation, interpretation, and presentation of statistics. The acknowledgments should include credit for contributions that do not justify authorship, note of technical help, acknowledgment of financial and material support and disclosure of any relationships that may pose conflicts of interest (financial relationships with industry, affiliation with or involvement in an organization with a direct financial interest in the subject matter, etc). *A maximum of six printed pages is recommended for original articles, and the cost of printing all pages in excess of six will be charged to the author.*

Arrangement: Manuscripts should be typewritten, double-spaced (including references and tables), on one side of the paper, with *wide* margins. They should normally be divided into cover page [title; names by which each author is known; one academic degree per author; authors' affiliations; address for correspondence and reprints (includung telefax number and e-mail address); and a running head of no more than 60 characters, along with the number of characters and words (not including tables or figure legends) and the number of tables and figures], abstract and key terms (no more than ten and none that are in the title), introduction, material (or subjects) and methods, results, discussion, and references. Each section should begin on a new page. Possible acknowledgments should be placed between the discussion and the references, and any appendix should follow the references.

To facilitate the blind review of the manuscript, authors should submit a second cover page that includes only the title of the manuscript. In addition information identifying the authors should be omitted from the manuscript pages.

References: References should be numbered consecutively in the order in which they are first mentioned in the text and identified in the text, tables, and legends by Arabic numerals in parentheses. Unpublished observations and personal communications cannot be used as references; they can however be mentioned in the text in parentheses. If a publication has six or fewer authors, all the authors are listed. If there are more than six, list the first six authors and add "et al".

Examples of typical reference entries (in the style of the "Uniform Requirements for Manuscripts Submitted to Biomedical Journals"):

1. Schneider T. Improving exposure assessment requires measurements and modeling [editorial]. Scand J Work Environ Health 2002;28:367–70.
2. Ketola R, Toivonen R, Häkkänen M, Luukkonen R, Takala E-P, Viikari-Juntura E, et al. Effects of ergonomic intervention in work with video display units. Scand J Work Environ Health 2002;28:18–24.
3. International Agency for Research on Cancer (IARC). Re-evaluation of some organic chemicals, hydrazine and hydrogen peroxide. Lyon: IARC; 1997. IARC monographs on the evaluation of the carcinogenic risks of chemicals to humans, vol 71.
4. Deerasamee MS, Martin N, Sriplung H, Sontipong S, Sriamporn S, Srivatanatul P, et al. Cancer in Thailand; vol II (1992–1994). Lyon: International Agency for Research on Cancer (IARC). IARC technical report, no 34.
5. Miettinen OS. Theoretical epidemiology in evolution, 1972–2002. In: Nurminen M, editor. 30 years of epidemiology for the benefit of occupational health: proceedings of the sympo sium, Sven Hernberg symposium. Helsinki: Finnish Institute of Occupational Health; 2002. p 25–9. People and work research reports, no 50.

Tables: Tables should be typed separately, numbered consecutively in Arabic numerals, and accompanied by a title. They should be double-spaced and *constructed to fit in one or two columns.* All tables should be self-explanatory and should supplement the text, not duplicate it. There should be no blank spaces; to avoid them, the following symbols should be used: – = magnitude nil, 0 or 0.0 = number less than half the unit employed, · = category not applicable, ·· = data not available. The approximate location of the tables should be marked in the margin of the text.

Figures: All illustrative material should be considered as figures and should accompany the text as separate copy. Figures should be numbered consecutively in Arabic numerals, and their approximate position should be marked in the margin of the text. Figure legends should be listed together on a separate sheet. One complete set of photographed or original figures (all identified by the author's name and the figure number with the top of the figure marked) and three sets of photocopies of the figures should accompany the manuscript. The figures should be professionally drawn and photographed or originals (minimum size 127×173 mm, maximum size 203×254 mm). Freehand or typewritten lettering is unacceptable. Letters, numbers, and symbols should be clear and even throughout and of sufficient size that, when reduced to fit the columns of the page, each item will still be legible. All figures should be of the same proportions (ie, drawn and lettered to the same scale). Any figures that are eventually to be sent electronically should be in .tif format. Color figures will be accepted at the special request of the author, who will then be responsible for paying the extra expenses incurred. Any request for the return of figure material must be made within three months of publication.

Proofs: Authors will receive one set of proofs. They will be required to pay for any major alterations.

Reprints: Reprints will be supplied if ordered and must be paid for.

Supplements: Lengthy papers can be published as supplements, eg, dissertations and symposium reports. The editor will supply further information upon request.

Submission of manuscripts: The manuscript must be submitted in triplicate, with an accompanying letter of submission signed by all the authors, to the editor in chief at the address below. It must include (i) information on prior or duplicate publication or submission elsewhere of any part of the work, (ii) financial or other relationships that might lead to a conflict of interest, (iii) a statement that the manuscript has been read by all authors, that the requirements for authorship have been met and that each author believes that the manuscript represents honest work, and (iv) any other information that may prove useful to the editor (eg, the type of article that the manuscript represents).

Scandinavian Journal of Work, Environment & Health
Topeliuksenkatu 41 a A
FIN-00250 HELSINKI FINLAND

Scandinavian Journal of Work, Environment & Health

The **Scandinavian Journal of Work, Environment & Health** is an international scientific periodical which began publication in 1975. The Journal appears 6 times a year, at the end of February, April, June, August, October, and December. In addition 1 to 3 self-financed supplements on specific topics are generally published annually.

The circulation of the Journal is worldwide. By the end of 2001, the total distribution was about 1200 copies to approximately 56 countries on 5 continents. Most of the subscriptions came from the United States (189), Holland (97), Italy (74), Canada (57), Norway (55), Finland (51), Germany (51), Sweden (49), Great Britain (48), Japan (34), Australia (31), Denmark (31), France (31), and Spain (31).

The Journal is open to all authors without regard to nationality. In 2001, the number of manuscripts submitted for publication in a regular issue was 157. In volume 27, the first author of the 79 published articles (supplements included) was from Sweden (16), Finland (13), the United States (9), Holland (7), Denmark (6), Norway (5), the United Kingdom (4), Canada (3), France (3), Japan (3), Germany (2), Armenia (1), the Czech Republic (1), Estonia (1), Korea (1), Latvia (1), Lithuania (1), Poland (1), and Spain (1).

The acceptance rate of the 157 articles submitted in 2000 was 29% by the end of March 2001; at that time the decision was still pending for 29 of the manuscripts.

In a peer-review process, 1 to 4 referees independently evaluate the scientific quality of the submitted manuscripts. The Journal uses a double-blind peer-review system.

The elapsed time from submission to publication for the articles published in 2001 averaged 11 months. A decision of acceptance of a manuscript was reached in 1 to 3 months (average 7 weeks).

The Journal is indexed or abstracted in Current Contents, the Science Citation Index, Biological Abstracts, Excerpta Medica, CISDOCE HSELINE, TZXLIRE, NIOSHTIC, etc.

For the latest year available, 2001, the impact factor of the Journal was 1.590.